

Table 2.18: Primary (1st) Diagnosis for Spine Diskectomy Procedures, United States 2011

<u>Diagnosis</u>	<u>Number</u>	<u>% of Total Spine 1st Diagnosis w/Diskectomy Procedure</u>
722.10 Lumbar Disc Displacement	104,389	28.3%
722.00 Cervical Disk Displacement	49,892	13.5%
722.52 Lumbar Disc Degeneration	33,283	9.0%
724.02/.03 Lumbar Spinal Stenosis	22,755	6.2%
721.00 Cervical Spondylosis	21,146	5.7%
722.71 Cervical Disk Disorder	19,310	5.2%
721.10 Cervical Spondylosis with Myelopathy	18,562	5.0%
738.40 Acquired Spondylolisthesis	17,098	4.6%
721.30 Lumbosacral Spondylosis	13,259	3.6%
722.40 Cervical Disc Degeneration	12,546	3.4%
723.00 Cervical Spinal Stenosis	11,052	3.0%
756.12 Spondylolisthesis	5,979	1.6%
722.73 Thoracic Disc Disorder with Myelopathy	3,593	1.0%
All Other diagnoses	36,602	9.9%
All Primary (1st) Diagnosis for Diskectomy Procedure	369,466	100.0%

Source: HCUP Nationwide Inpatient Sample (NIS). Healthcare Cost and Utilization Project (HCUP). 2011. Agency for Healthcare Research and Quality, Rockville, MD. www.hcup-us.ahrq.gov/nisoverview.jsp