

Table 6B.2.2: Nonfatal Occupational Injuries Involving Days Away from Work [1] by Age, United States 2011

	Age								Total
	14 to 15	16 to 19	20 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 +	
Sprains and Strains									
Number	130	5,950	29,020	77,130	84,830	91,980	50,990	7,900	352,950
% Total Injuries	0.0%	1.7%	8.2%	21.9%	24.0%	26.1%	14.4%	2.2%	
Open Wounds									
Number	30	5,320	14,310	23,050	18,880	17,610	9,350	1,660	92,380
% Total Injuries	0.0%	5.8%	15.5%	25.0%	20.4%	19.1%	10.1%	1.8%	
Fractures									
Number	0	940	5,850	16,160	14,690	20,240	17,790	4,820	81,300
% Total Injuries	0.0%	1.2%	7.2%	19.9%	18.1%	24.9%	21.9%	5.9%	
Carpal Tunnel Syndrome									
Number	0	0	180	1,280	1,850	3,340	1,350	190	8,300
% Total Injuries	0.0%	0.0%	2.2%	15.4%	22.3%	40.2%	16.3%	2.3%	
Tendonitis									
Number	0	30	210	570	730	930	380	130	3,050
% Total Injuries	0.0%	1.0%	6.9%	18.7%	23.9%	30.5%	12.5%	4.3%	
Nonfatal Injuries and Illnesses									
Number	200	20,030	85,940	198,660	202,270	225,680	133,740	26,670	908,310
% Total Injuries	0.0%	2.2%	9.5%	21.9%	22.3%	24.8%	14.7%	2.9%	

[1] Days-away-from-work cases include those that result in days-away-from-work with or without job transfer or restriction.

Source: "Table R45: Number of nonfatal occupational injuries and illnesses involving days away from work by nature of injury or illness and age of worker, private industry, 2011". U.S. Department of Labor, Bureau of Labor Statistics.

<http://www.bls.gov/iif/oshwc/osh/case/ostb3247.pdf> (October 25, 2013)