Table 9A.4.1: Self-Reported Arthritis Conditions, by Sex, United States

	Total Persons (in 000s)			Rate Per 100 Persons [1]		
	Male	<u>Female</u>	Total	Male	<u>Female</u>	Tota
evalence of Self-Reported Arthritis Conditions Among Adu	ults Age 18 & Older, 201	0-2012 [2]				
Doctor-Diagnosed Arthritis [3]	21,400	31,100	52,500	18.6	23.9	21.4
Arthritis-Attributable Activity Limitations [4]	9,000	13,700	22,700	7.8	10.5	9.2
Any limitation	2,412.1	5.153.7	0	• • • •		
nitations of Daily Living and Activity Attributed to Arthriti	•	•	0	• • • •		
		5,155.7	7,565.9	2.1	4.3	3.2
Need help with routine needs	593.7	1,991.5	2,585.2	2.1 0.5	4.3 1.6	3.2 1.1
Need help with routine needs Help with personal care	,	-,	,			
	593.7	1,991.5	2,585.2	0.5	1.6	1.1
Help with personal care	593.7 328.7	1,991.5 971.9	2,585.2 1,300.6	0.5 0.3	1.6 0.8	1.1 0.6

Proportion of Adults With Limitations Due to Self-Reported Doctor-Diagnosed Arthritis [3,4,5]

Any limitation	Proportion of Total Population			
	12%	24%	19%	
Need help with routine needs	17%	33%	27%	
Help with personal care	15%	31%	24%	
Difficulty walking without equipment	24%	50%	32%	
Unable to work NOW due to health [4]	15%	27%	22%	
Limited in kind or amount of work	15%	26%	21%	

Days [6] Due to Arthritis Conditions [3] for Persons Aged 18 and Over [5]					Proportion of Adults Reporting Any			
• •	Female	Total			Total			
8,101	14,301	22,402	28.0%	35.0%	32.1%			
21.2	25.7	24.0						
171.7	367.5	537.6	45.4%	57.7%	53.0%			
ed 18 and Over [6]								
4,973	7,063	12,036	20.0%	24.9%	28.2%			
14.1	14.4	14.3						
70.1	101.7	172.1	28.2%	36.6%	32.7%			
	Male 8,101 21.2 171.7 ed 18 and Over [6] 4,973 14.1	Male Female 8,101 14,301 21.2 25.7 171.7 367.5 ed 18 and Over [6]	Male Female Total 8,101 14,301 22,402 21.2 25.7 24.0 171.7 367.5 537.6 ed 18 and Over [6] 4,973 7,063 12,036 14.1 14.4 14.3	Male Female Total Male Male Female Total Male 8,101 14,301 22,402 28.0% 21.2 25.7 24.0 145.4% 171.7 367.5 537.6 45.4% ed 18 and Over [6] 4,973 7,063 12,036 20.0% 14.1 14.4 14.3 14.3 14.1	Male Female Total Male Female 8,101 14,301 22,402 28.0% 35.0% 21.2 25.7 24.0 7.063 537.6 45.4% 57.7% ted 18 and Over [6] 4,973 7,063 12,036 20.0% 24.9% 14.1 14.4 14.3 14.3 14.3			

* Estimates do not meet standards for reliability.

[1] Age-adjusted by direct method to US Census adult population estimate using 2000 U.S. Census estimates for the years 2010-2011, and 2010 U.S. Census estimates for 2012. Describes the relative population burden when comparing groups.

[2] **Source**: Barbour KE, Helmick CG, Theis KA, et al. Prevalence of Doctor-Diagnosed Arthritis and Arthritis-Attributable Activity Limitation-United States, 2010-2012. *MMWR* 2013:62(44):869-873. Prevalence calculated by the Burden of Musculoskeletal Diseases project analyst using the same databases and variables reported by MMWR.

[3] Responded "yes" when asked: Have you ever been told by a doctor or other health professional that you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia?

[4] Responded "yes" when asked: Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms?

[5] Source: National Health Interview Survey (NHIS)_Adult sample, 2010-2012. www.cdc.gov/nchs/nhis/nhis 2012 data release.htm July 2, 2013.

[6] A bed day is defined as 1/2 or more days in bed due to injury or illness in past 12 months, excluding hospitalization.

[7] A missed work day is defined as absence from work due to illness or injury in the past 12 months, excluding maternity or family leave.