**Table 9B.7**: Tumors of the Musculoskeketal System, by Age, United States

| Total Cases by Site                 | < 20  | 20-44 | 45-64 | 65 & over | <u>Total</u> |
|-------------------------------------|-------|-------|-------|-----------|--------------|
| Bones and Joints, 2006-2010 [1]     | 1,065 | 972   | 972   | 871       | 3,888        |
| Myeloma, 2006-2010 [1]              | 0     | 926   | 8,559 | 15,568    | 25,028       |
| Soft Tissue Cancers, 2007-2011 [2]  | 1,257 | 2,709 | 4,469 | 5,529     | 13,963       |
| Proportion of Total Cases 2006-2010 |       |       |       |           |              |
| Bones and Joints, 2006-2010 [3]     | 27%   | 25%   | 25%   | 22%       | 100%         |
| Myeloma, 2006-2010 [3]              | 0%    | 4%    | 34%   | 62%       | 100%         |
| Soft Tissue Cancers, 2007-2011 [4]  | 9%    | 19%   | 32%   | 40%       | 100%         |

<sup>[1]</sup> **Source**: Howlader N, Noone AM, Krapcho M, Garshell J, Neyman N, Altekruse SF, Kosary CL, Yu M, Ruhl J, Tatalovich Z, Cho H, Mariotto A, Lewis DR, Chen HS, Feuer EJ, Cronin KA (eds). SEER Cancer Statistics Review, 1975-2010, National Cancer Institute. Bethesda, MD, <a href="http://seer.cancer.gov/csr/1975">http://seer.cancer.gov/csr/1975</a> 2010/, based on November 2012 SEER data submission, posted to the SEER web site, April 2013. Table 1.5: Age-Adjusted SEER Incidence and U.S. Death Rates and 5-Year Relative Survival (Percent) By Primary Cancer Site, Sex and Time Period: Table 1.6 (Whites); Table1.7 (Blacks). Accessed January 6, 2014.

<sup>[2]</sup> National Cancer Institute, Surveillance, Epidemiology, and End Results Program (SEER), SEER Stat Fact Sheets: Soft Tissue including Heart Cancer. <a href="http://seer.cancer.gov/statfacts/html/soft.html">http://seer.cancer.gov/statfacts/html/soft.html</a> Accessed January 22, 2015.