

Table 5A.1.1: Number and Cause of Self-Reported Medically-Consulted Injuries in the Past Three Months, by Sex, United States 2013-2015

| | Proportion of Injury/Poisoning Episodes Reported [1] | | | Number of Injuries Previous 3-Months (in 000s) | Extrapolated Annual Number of Injuries (in 000s) |
|--|--|---------|---------|--|--|
| | Sex | | | | |
| | Male | Female | Total | | |
| Number of Medically-consulted Injuries | | | | | |
| One | 93.3% | 93.1% | 93.2% | 8,428.6 | 33,714.4 |
| Two or More | 6.9% | 6.9% | 6.8% | 616.1 | 2,464.4 |
| Cause of Injury | | | | | |
| Fall | 29.7% | 42.9% | 36.3% | 3,182.7 | 12,730.8 |
| Vehicle or Sport-related | 10.7% | 11.0% | 10.9% | 951.8 | 3,807.2 |
| Other Cause | 59.5% | 46.4% | 52.8% | 4,626.3 | 18,505.2 |
| All Musculoskeletal Injuries | 79.6% | 81.1% | 80.4% | 7,091.3 | 28,365.2 |
| Nonmusculoskeletal Injuries | 20.4% | 18.9% | 19.6% | 1,734.0 | 6,936.0 |
| Total Injury/Poisoning Episodes (in 000s) | 4,402.7 | 4,422.6 | 8,825.4 | 8,825.4 | 35,301.6 |
| By Demographic Group | | | | | |
| % of Injuries | 49.9% | 50.1% | 100.0% | | |
| Annual Rate per 100 Population Total Injury Episodes | 11.3 | 11.0 | 11.2 | | |
| Annual Rate per 100 Population Musculoskeletal Injury Episodes | 9.0 | 8.9 | 9.0 | | |

[1] All medically-consulted injury/poisoning episodes reported occurring in the previous three months.

Source: National Health Interview Survey (NHIS)_Injury database, 2013, 2014, 2015. www.cdc.gov/nchs/nhis/