Table 5C.1: Trends in Deaths Due to Falls, United States 2000-2015				
	Total Unin			
-	Total			
	<u>Unintentional</u>	Death	<u>% of Deaths</u>	Age-Adjusted Rate per
Year	Injury Deaths	due to Falls	due to Falls	100,000 Persons [1]
2000	97,900	13,300	13.6%	4.82
2001	101,500	15,000	14.8%	5.33
2002	106,700	16,300	15.3%	5.69
2003	109,300	17,200	15.7%	5.93
2004	112,000	18,800	16.8%	6.37
2005	117,800	19,700	16.7%	6.53
2006	121,600	20,800	17.1%	6.77
2007	123,700	22,600	18.3%	7.21
2008	121,900	24,000	19.7%	7.50
2009	118,000	24,800	21.0%	7.58
2010	120,900	26,000	21.5%	7.82
2011	126,400	27,500	21.8%	8.03
2012	127,800	28,800	22.5%	8.21
2013	130,600	30,200	23.1%	8.46
2014	135,900	32,000	23.5%	8.76
2015	146,600	33,400	22.8%	8.96
2000-2015 Average	1,918,600	370,300	19.3%	7.19

[1] Age-adjusted to 2000 population, all races, both sexes.

Source: Centers for Disease Control. Web-based Injury Statistics Query and Reporting System (WISQARS) [online]. (2015) National Center for Injury Prevention and Control (producer). Available from URL:

https://www.cdc.gov/injury/wisqars/fatal.html . [December 9, 2017].