

Table 6A.B.1.6: Frequency of Cancers of Bones and Joints, by Diagnostic Group, By Sex, United States 2004-2015

Diagnostic Subgroup	Female		Male		Total
	Frequency	Percent	Frequency	Percent	Frequency
Adamantinoma	55	0.45	67	0.55	122
Angiosarcoma	70	0.36	127	0.64	197
Chondroblastoma—malignant	16	0.36	28	0.64	44
Chondrosarcoma	2,809	0.47	3,174	0.53	5,983
Chordoma	687	0.41	991	0.59	1,678
Ewing Sarcoma	1,134	0.38	1,889	0.62	3,023
Fibrosarcoma	37	0.37	62	0.63	99
Giant Cell Tumor of Bone—malignant	157	0.51	152	0.49	309
Hemangioendothelioma	44	0.40	67	0.60	111
Leiomyosarcoma	72	0.50	72	0.50	144
Malignant Fibrous Histiocytoma	111	0.47	124	0.53	235
Neoplasm—malignant NOS	78	0.53	70	0.47	148
Osteosarcoma	2,797	0.44	3,581	0.56	6,378
Primitive Neuroectodermal Tumor	55	0.37	93	0.63	148
Sarcoma, NOS	111	0.42	151	0.58	262
Total	8,233	0.44	10,648	0.56	18,881

Source: The National Cancer Data Base (NCDB) of the American College of Surgeons (ACS), 2004-2015.