

**Table 1.4.1: Prevalence of Chronic Joint Pain [1] for Persons Age 18 and Over, by Joint, by Sex, United States 2015**

<u>Joint Pain Site</u>	<u>Total Persons With Condition Aged 18 &amp; Over (in Millions)</u>			<u>Prevalence Per 100 Persons in Sex Group</u>		
	<u>Male</u>	<u>Female</u>	<u>Total</u>	<u>Male</u>	<u>Female</u>	<u>Total</u>
Knee	21.273	25.869	47.142	17.6	20.3	19.0
Shoulder	11.116	11.211	22.327	9.2	8.8	9.0
Hip	6.683	11.494	18.177	5.5	9.0	7.3
Fingers	6.720	11.391	18.112	5.6	9.0	7.3
Ankle	6.229	8.547	14.776	5.2	6.7	6.0
Wrist	5.237	8.258	13.492	4.3	6.5	5.4
Elbow	5.333	5.729	11.061	4.4	4.5	4.5
Toes	2.904	4.661	7.565	2.4	3.7	3.1
Other Joint	1.851	2.530	4.381	1.5	2.0	1.8
All Chronic Joint [2]	33.063	39.469	72.532	27.4	31.0	29.3
Mean Chronic Joint Sites (1 to 9)	2.0	2.3	2.2			

[1] Symptoms lasting 3 months or longer

[2] Chronic pain in multiple joints may be reported

Source: National Health Interview Survey (NHIS)\_Adult sample, 2015. <http://www.cdc.gov/nchs/nhis/data-questionnaires-documentation.htm> July 23, 2016.