

Table 1.4.2: Prevalence of Chronic Joint Pain [1] for Persons Age 18 and Over, by Joint, by Age, United States 2015

Joint Pain Site	Total Persons With Condition Aged 18 & Over (in Millions)					in Age Group				
	18-44	45-64	65-74	75+	Total	18-44	45-64	65-74	75+	Total
Knee	12.400	20.126	8.112	6.505	47.142	10.7	23.9	29.4	32.2	19.0
Shoulder	5.102	10.455	4.088	2.683	22.327	4.4	12.4	14.8	13.3	9.0
Hip	3.428	8.358	3.606	2.784	18.177	3.0	9.9	13.1	13.8	7.3
Fingers	3.169	8.014	4.019	2.910	18.112	2.7	9.5	14.6	14.4	7.3
Ankle	4.156	6.873	2.320	1.427	14.776	3.6	8.2	8.4	7.1	6.0
Wrist	3.792	5.862	2.332	1.505	13.492	3.3	7.0	8.5	7.4	5.4
Elbow	2.833	5.557	1.560	1.112	11.061	2.4	6.6	5.7	5.5	4.5
Toes	1.584	3.456	1.601	0.924	7.565	1.4	4.1	5.8	4.6	3.1
Other Joint	1.043	1.848	0.837	0.653	4.381	0.9	2.2	3.0	3.2	1.8
All Chronic Joint [2]	18.886	31.179	12.913	9.555	72.532	16.3	37.1	46.9	47.3	29.3
Mean Chronic Joint Sites (1 to 9)	2.0	2.3	2.2	2.2	2.2					

[1] Symptoms lasting 3 months or longer.

[2] Chronic pain in multiple joints may be reported.

Source: National Health Interview Survey (NHIS)_Adult sample, 2015. <http://www.cdc.gov/nchs/nhis/data-questionnaires-documentation.htm> July 23, 2016.