

Table 2B.2.0: Hospitalization Trend for Curvature of Spine Disorders, United States, 2010-2014

Hospital Discharges	Discharges (in 000s)				
	2010	2011	2012	2013	2014
Idiopathic scoliosis	151.0	159.6	154.6	161.0	173.6
Acquired/secondary scoliosis	21.3	23.3	21.8	20.3	21.4
Scoliosis	159.9	169.0	163.1	166.6	178.9
Diagnoses Per 100,000 US Population [2]	52	54	52	53	56
Kyphosis	45.1	50.6	44.7	44.9	48.4
Lordosis	3.5	3.4	4.1	4.1	5.1
Spondylolisthesis	137.2	16.1	140.0	144.6	155.2
Sagittal Deformity	183.6	196.8	185.9	190.5	205.0
Diagnoses Per 100,000 US Population [2]	59	63	59	60	64
All Spinal Curvature Disorders (1)	343.4	365.9	348.9	357.0	383.9
Rate Per 100 Patient Visits	0.88	0.95	0.96	1.00	1.09
Diagnoses Per 100,000 US Population [2]	111	117	111	113	120

Source: HCUP National Inpatient Sample (NIS). Healthcare Cost and Utilization Project (HCUP). 2010-2014. Agency for Healthcare Research and Quality, Rockville, MD. www.hcup-us.ahrq.gov/nisoverview.jsp

[1] Total visits may be lower than sum of diagnoses due to multiple diagnoses per patient

[2] Source: United States Census Bureau, Population Division. Annual Estimates of the Resident Population: April 1, 2010 to July 1, 2015. American Fact Finder. <http://factfinder.census.gov/faces/tableservices/jsf/pages/productview.xhtml?src=bkm> Accessed July 24, 2016.