Table 3A.5.4: Mean Age of Patients for Joint Replacement Procedures By Type, United States 1992-2013

_	Mean Age of Joint Replacement Patients											
Hip Replacements	<u>1992</u>	<u>1994</u>	<u>1996</u>	<u>1998</u>	<u>2000</u>	<u>2002</u>	<u>2004</u>	<u>2006</u>	<u>2008</u>	<u>2010</u>	<u>2013</u>	22-Year Average
pp.iaccc.its												
Total Hip Replacement [1]	67.0	66.6	67.6	67.7	65.6	66.7	65.9	65.2	65.1	65.0	65.1	66.1
Partial Hip Replacement [2,6]	76.7	79.7	78.6	79.5	78.9	79.9	74.8	75.6	73.0	73.0	80.1	77.3
Revision Hip Replacement [3]	68.1	63.6	65.9	68.9	66.2	68.4	68.4	66.7	71.7	68.8	66.7	67.6
Knee Replacements												
Total Knee Replacement [4]	69.6	69.1	69.4	68.4	68.3	67.6	67.2	67.1	66.5	65.4	66.1	67.7
Revision Knee Replacement [5]	68.7	68.5	67.8	70.3	67.7	69.7	67.0	64.2	65.1	65.5	65.2	67.2

^[1] ICD-9-CM procedure code 81.51.

Source: 1992 thru 2010: National Hospital Discharge Survey (NHDS), 1992-2010. www.cdc.gov/nchs/nhds/nhds questionnaires.htm April 23, 2013.

Source: 2013: HCUP National Inpatient Sample (NIS). Healthcare Cost and Utilization Project (HCUP). 2013. Agency for Healthcare Research and Quality, Rockville, MD. www.hcup-us.ahrq.gov/nisoverview.jsp

^[2] ICD-9-CM procedure code 81.52.

^[3] ICD-9-CM procedure code 81.53, 00.70, 00.71

^[4] ICD-9-CM procedure code 81.54.

^[5] ICD-9-CM procedure code 81.55, 00.80-00.84.

^[6] An unknown error in the partial hip replacement data occurred in the NHDS 2010 data file. A correction for total partial hip cases was made by excluding cases with diagnosis of spine (720 724, 737, 756, 805, 806). The resulting age drop may be due to this error.